References chapter 8D1 – Mo Abu Hilal, F. Cipriani

1. Gold JS, Are C, Kornprat P, et al. Increased use of parenchymal-sparing surgery for bilateral liver metastases from colorectal cancer is associated with improved mortality without change in oncologic outcome. Trends in treatment over time in 440 patients. Ann Surg 2008; 247: 109–117.
2. Viganò L, Ferrero A, Sgotto E, et al. Parenchyma sparing: evolution of the resective surgical approach of hepatic metastasis from the colorectum. Suppl Tumori 2005; 4(3): S35.
3. Mullen JT, Ribero D, Reddy SK, et. al. Hepatic insufficiency and mortality in 1,059 noncirrhotic patients undergoing major hepatectomy. J Am Coll Surg 2007; 204: 854-62.
4. Wei AC, Tung-Ping Poon R, Fan ST, Wong J. Risk factors for perioperative morbidity and mortality after extended hepatectomy for hepatocellular carcinoma. Br J Surg 2003; 90: 33-41.
5. Antoniou A, Lovegrove RE, Tilney HS, et. al. Meta-analysis of clinical out- come after first and second liver resection for colorectal metastases. Surgery. 2007 Jan;141(1):9-18.
6. Buell JF, Cherqui D, Geller D, et. al. The International Position on Laparoscopic Liver Surgery. The Louisville Statement, 2008. Ann Surg 2009; 250: 825–830.
7. Yoon YS, Han HS, Cho JY, Ahn KS. Total laparoscopic liver resection for hepatocellular carcinoma located in all segments of the liver. Surg Endosc 2010; 24: 1630-37.
8. Cho JY, Han HS, Yoon YS, Shin SH. Feasibility of laparoscopic liver resection for tumors located in the posterosuperior segments of the liver, with a special reference to overcoming current limitations on tumor location. Surgery 2008; 144: 32-8.
9. Cho JY, Han HS, Yoon YS, Shin SH. Outcomes of laparoscopic liver resection for lesions located in the right side of the liver. Arch Surg 2009;144 (1): 25-9.
10. Cipriani F, Shelat VG, Rawashdeh M, et al. Laparoscopic Parenchymal-Sparing Resections for Nonperipheral Liver Lesions, the Diamond Technique: Technical Aspects, Clinical Outcomes, and Oncologic Efficiency. J Am Coll Surg 2015; 221(2):265-72
11. Pulitanò C, Aldrighetti L. The current role of laparoscopic liver resection for the treatment of liver tumors. Nat Clin Pract Gastroenterol Hepatol. 2008 Nov;5(11):648-54.
12. Pearce NW, Di Fabio F, Teng MJ, et al. Laparoscopic right hepatectomy: a challenging, but feasible, safe and efficient procedure. Am J Surg. 2011 Nov;202(5):e52-8.
13. Dagher I, O'Rourke N, Geller D, et al. Laparoscopic major hepatectomy: an evolution in standard of care. Ann Surg. 2009 Nov;250(5):856-60.
14. Satava RM. Identification and reduction of surgical error using simulation. Minim Invasive Ther Allied Technol. 2005;14(4):257-61.
15. Yamashita Y, Hamatsu T, Rikimaru T, et al. Bile leakage after hepatic resection. Ann Surg. 2001 Jan;233(1):45-40.

16. Abu Hilal M, Underwood T, Taylor MG, et al. Bleeding and hemostasis in laparoscopic liver surgery. Surg Endosc. 2010 Mar;24(3):572-7.
17. Kazaryan AM, Rosok BI, Marangos IP, et al. Comparative evaluation of laparoscopic liver resection for posterosuperior and anterolateral segments. Surg Endosc 2011; 25(12): 3881-9.
18. Abu Hilal M, Underwood T, Zuccaro M, et al. Short- and medium-term results of totally laparoscopic resection for colorectal liver metastases. Br J Surg. 2010 Jun;97(6):927-33.
19. Castaing D, Vibert E, Ricca L, et al. Oncologic Results of Laparoscopic Versus Open Hepatectomy for Colorectal Liver Metastases in Two Specialized Centers. Ann Surg. 2009 Nov;250(5):849-55.
20. Iwahashi S, Shimada M, Utsunomiya T, et al. Laparoscopic hepatic resection for metastatic liver tumor of colorectal cancer: comparative analysis of short- and long-term results. Surg Endosc. 2014 Jan;28(1):80-4